Safety Technology International, Inc.

Enclosures, Covers & Cages

Vandalism & Theft

Buttons & Switches



Home & Work Series

Wireless Products

Fire Safety Products

Featured Products

Did you know we make more than 3,000 products, from enclosures to cages to switches? Check out some of STI's newest and most notable products below.

Wireless Products

Monitoring your home, office or business just got easier!

Problem: You need to monitor various windows and doors without the complicated or expensive installation of typical alarm devices

Solution: Go smart, go wireless with the STI Wireless Series

See Page 35

Enclosures, Covers & Cages

Reduce theft, maintenance costs and malfunctions

Problem: Vandalism and theft of important devices

Solution: Covers and cages protect valuable equipment

See Page 17

Buttons & Switches

Find the specific button you need

Problem: No one offers a suitable button/switch

Solution: Standard or customized buttons in 7 days or less

See Page 25

Fire Safety Products

Protect against false alarms and damage to security devices

Problem: False alarms disrupt my facility and cost time and money

Solution: Fire protection products help keep important equipment safe

See Page 39

Note: Not responsible for typographical errors. Please contact sales for the most up-to-date information.

Need help finding the right STI products?



See page 46 for sample App Guide >

Use our handy Application Guides to help you select the right products for schools, hospitals, gas stations, homes and offices. With over 3,000 different products, ***Rely on STI*** to help make a safe and secure environment in your facility.

View App Guides online at:
www.sti-usa.com/appguides

Contents

Safety Technology International, Inc.

Enclosures, Covers & Cages

7 Environmental Enclosures
8 Polycarbonate Covers
8 Metal Cabinets
9 BIO Protectors
9 Keypad Protectors
10 Shields
11 Universal Stopper
12 AED, Smoke Detector Covers
13 Protective Cabinets
13 Mounting Pedestal
14 Thermostat Protector
15 Wire Guards

Vandalism & Theft

21 CCTV Housings
21 CCTV Guard
22 Mini Controllers
22 Extinguisher Alarms
23 Exit Alarms
23 Evacuation Chair Alarm

Buttons & Switches

25 Buttons & Switches
25 Slim Line
25 Round Momentary
26 Stopper Stations
28 Universal Button Kit
29 Universal Touch Free
29 Universal Pneumatic
29 Latching/Timer



Home & Work Series

31 Musical Wireless Chimes
31 Motion-Activated Chime
31 Entry Alert Chime
31 Doorbell Extender
32 Burglar Stopper Series
33 Barking Dog Alarms
33 Mugger Stopper

Wireless Products

35 Wireless Receivers
35 Wireless Driveway Alert
35 Wireless Universal Alert
36 Mailbox Alert
36 Garage Door Alert
36 Doorbell Button
36 Motion Detectors
37 Wireless Pro Series Extinguisher, Door and Button Alarms

Fire Safety Products

39 Pull Station Protectors
39 Weather Pull Station Protectors
40 Universal Protectors
42 Heated Pull Station Protectors
43 Strobe/Horn Domes
43 Break Glass Covers
44 Strobe/Horn Wire Guards
44 Strobe/Horn Polycarb Covers
45 ReSet Call Point, Alert Point
45 Call Point and Euro Stoppers

We've been protecting the things that protect you—worldwide—for over 30 years.

About STI

The STI story begins three decades ago with a challenge made by a suburban Detroit school administrator who wanted to stop false fire alarms. Our founder, Jack Taylor, used his expertise in security systems to invent the original Stopper® pull station protector. Today, we distribute 3,000 innovative products that help make homes, businesses and workplaces around the world safe, smart and secure.

Family owned and operated for over 30 years

STI takes great pride in our products and exemplary service. Our entire team works just as hard to make you a satisfied customer as we do to make the world a safer place, one product at a time.

We're happy to customize

STI thrives on a challenge. If you don't see a product in this catalog to meet your needs, give us a call at 1-800-888-4784. We customize products all the time—and meet tight deadlines too.

Worldwide scope with deep local roots

Headquartered in Waterford, Michigan with an office in Redditch, England, the STI team is proud to contribute to our communities through the Rotary Club, Lions International, Mission 500 and more.

Enclosures, Covers & Cages

With STI's polycarbonate covers, environmental enclosures and wire guards, you can reduce costly equipment replacement and repairs and assure operation of life safety devices.

Protect your expensive equipment!

ENVIRONMENTAL ENCLOSURES

These tough polycarbonate enclosures with heater or A/C allow devices to be installed inside or outside in temperatures which exceed normal operating range. Approvals are specific. Dimensions (shown in inches) are approximate. For more precise approvals or dimensions, visit our website at sti-usa.com.

Fire Environmental Enclosures

Protect your pull stations and similar devices located where temperature or environmental conditions exceed the suggested operating range with our tough polycarbonate protective cover fitted with a heater assembly.

STI-1200A-HTR

c UL us ADA Compliant

6.25 H x 4.125 W x 1.25 D	
STI-1200A-HTR	**Heated, 110VAC**
STI-1200A-HTR240	**Heated, 240VAC**
STI-1200A	**For Washdown Areas, No Heat**
9.37 H x 9.37 W x 5.5 D	
STI-1229HTR	**Heated, for Strobe Only, 110VAC**
STI-1229HTR240	**Heated, for Strobe Only, 240VAC**
STI-1229HTR-HAZ	**Heated, for Strobe Only, 110VAC, HAZ Locations**
STI-1229HTR-240HAZ	**Heated, for Strobe Only, 240VAC HAZ Locations**

More Heated Enclosures on page 42.

STI-1229HTR

c UL us TYPE 4X ADA Compliant

Metal Environmental Enclosures

This extra large, heavy-duty metal enclosure has a clear window allowing the unit within to be quickly identified.

STI-7560AC

UL TYPE 4

Internal dimensions 33 H x 21 W x 6 D, allows for proper airflow Window dimensions 10 H x 10 W	
STI-7560AC	**A/C, two 1/4" turn latches**
STI-7561AC	**A/C, without window**
STI-7560AH	**A/C and heat, with window**
STI-7561AH	**A/C and heat, without window**
STI-7560	**Cabinet only with window**
STI-7561	**Cabinet only without window**

Polycarbonate and Environmental Enclosures

These air conditioned and heated cabinets help maintain temperature and guard against vandalism, either accidental or intentional, as well as dirt, dust and grime.

STI-7510A-HTR

STI-7520-HTR
TYPE 4

STI-7551AH
TYPE 4

5.59 H x 7.53 W x 4 D	
STI-7510A-HTR	**Heated, Key Lock**
STI-7511A-HTR	**Heated, Thumb Lock**
5.59 H x 7.53 W x 1.85 D	
STI-7510F-HTR	**Heated, Key Lock**
STI-7511F-HTR	**Heated, Thumb Lock**
10 H x 8 W x 3.25 D	
STI-7520-HTR	**Heated, Key Lock**
STI-7521-HTR	**Heated, Thumb Lock**
24.75 H x 19.75 W x 7.31 D	
STI-7550AC	**A/C, Key Lock**
STI-7551AC	**A/C, Thumb Lock**
STI-7550AH	**A/C and Heater, Key Lock**
STI-7551AH	**A/C and Heater, Thumb Lock**

Metal Protective Cabinets

Enclosures for electrical and electronic equipment (up to 1000V) provide protection from hazardous parts. Durable finish helps prevent corrosion. Metal thickness meets or exceeds Type 1 requirements. STI-EM151804 is 17 gauge, other cabinets are 18 gauge. Backplates available.

STI-EM07123.5	**12.20 H x 7.73 W x 3.84 D**
STI-EM08073.5	**8.40 H x 7.66 W x 3.80 D**
STI-EM111103	**11.20 H x 11.28 W x 3.30 D**
STI-EM111504	**15.20 H x 11.28 W x 4.30 D**
STI-EM121204	**12.20 H x 12.7 W x 4.30 D**
STI-EM151804	**18.20 H x 15.28 W x 4.30 D**

Bio Protectors/Snooper Stopper®

3 H x 3.6 W x 2.56 D
Identification reader cover

STI-6514	**Clear**
STI-6514-S	**Smoke Color**

STI-6514

3.25 H x 3.625 W x 2 D
Spring loaded hinge

STI-6516	**Clear**

ADA Compliant

STI-6516

6.75 H x 8.75 W x 4 D
For keypads and other devices

STI-7504	**Clear**
STI-7505	**Smoke Color**

6.75 H x 8.75 W x 5 D
For BIO Protectors

BIO-7504	**Clear**
BIO-7505	**Smoke Color**

STI-7505

Widebody Keypad Protector

4.25 H x 8.25 W x 1.75 D

STI-6550	**Without Lock**
STI-6550S	**Without Lock, Smoke Color**
STI-6560	**Lock**
STI-6560S	**Lock, Smoke Color**

STI-6550

ADA Compliant

Mega Stopper®

6 H x 13 W x 1.5 D

STI-7600	**Key Lock**
STI-7601	**Thumb Lock**

STI-7600

STI-7500H

Mini Mega Stopper®

6.5 H x 8.5 W x 3.5 D	
STI-7500H	**Key Lock**
STI-7501H	**Thumb Lock**
8.5 H x 6.5 W x 3.5 D	
STI-7500V	**Key Lock**
STI-7501V	**Thumb Lock**

STI-6518

ADA Compliant

Bopper Stopper®

Covers help protect electrical outlets, push buttons, and volume and lighting controls. Inexpensive yet highly durable, these hinged covers live up to their name for a wide range of applications and take hard knocks in stride.

STI-6520-S

STI-6522-S

STI-6528

5 H x 3.25 W x 1.75 D	
STI-6518	**Clear**
6.32 H x 3.3 W x 3 D	
STI-6520 - C	**Clear**
STI-6520 - S	**Smoke**
6.32 H x 3.3 W x 3 D	
STI-6521 - C	**Clear**
STI-6521 - S	**Smoke**
5.5 H x 3.3 W x 3 D	
STI-6522 - C	**Clear**
STI-6522 - S	**Smoke**
5.41 H x 5.42 W x 2.37 D	
STI-6528	**Clear**

Great Protection for Buttons pgs. 25-29

Wireless Stopper® Station Shield

Shield takes hard knocks in stride while protecting Stopper Station buttons against vandalism, damage or accidental activation. *Special order, contact STI for ordering information.

STI-6517B
Shown with button

- Supervised wireless cover with sound or sound & transmitter.
- When activated, signal is sent to the receiver (requires STI-34104, STI-V34104 or STI-34108 on pg. 35).
- Selectable 65 or 85 dB alert.
- Up to 1000 foot range (line of sight).
- 433MHz
- Optional second wireless transmission for button activation.

STI-6517B	**Cover with Sound and Transmitter**
STI-6517A	**Cover with Sound**
STI-6517	**Cover only**

See buttons page 26

Universal Stopper®

Tough polycarbonate cover protects indoor/outdoor devices. Available in two styles, dome shape or flat low profile. The dome shape is available with or without horn, and flush mount, enclosed flush mount, surface mount or waterproof backbox (Type rating pending). The dome cover offers a red, blue, green, yellow, white and black horn housing with free custom label or no label.

Cover is low profile (less than 4 inches) and has the same footprint as the STI Mini Stopper® but increased interior space accommodates most dual action pull stations.

STI-13000 Series

Dome Cover only:

- with or without 105 dB horn
- colors: red, green, blue, yellow, white or black
- with or without FREE custom label

Great Protection for Buttons pgs. 25-29

Mounting options:

- flush
- surface
- enclosed flush backbox
- enclosed backbox with sealed mounting plate
- enclosed backbox with open mounting plate

STI-13000 SERIES	**Dome Cover**
STI-14000 SERIES	**Low Profile Cover**

BUILD YOUR MODEL

Did you know you can now build the exact cover you need online at sti-usa.com?

Visit our FastFind at “Products”, “Cabinets/Covers/Enclosures”, “Universal Stopper Covers.”

- Cover Type V
- Choose Mounting Option V
- Choose Hood/Horn V
- Choose Special Electronics V
- Choose Housing/Horn Color & Label V

Additional covers on page 40

STI-7535AED

STI-7553AED

AED Protective Cabinets

All models include backplate & wire shelf

14.2 H x 12.2 W x 6.44 D	
STI-7531AED	**Thumb Lock, No Alarm**
STI-7533AED	**Thumb Lock and Siren Alarm ***
STI-7535AED	**Thumb Lock & Siren/Strobe Alarm ****
24.75 H x 19.75 W x 7.31 D	
STI-7551AED	**Thumb Lock, No Alarm**
STI-7553AED	**Thumb Lock and Siren Alarm ***
STI-7555AED	**Thumb Lock & Siren/Strobe Alarm ****
For STI-7530 and STI-7550 models	
AED-LBL	**AED label applied to cabinet**

Alarm descriptions

* Siren alarm	See Exit Stopper® for details (page 23).
**Siren/strobe alarm	See Select-Alert for details (page 22).

STI-8100

STI-8130

Smoke Detector Damage Stoppers®

Smoke Detector Damage Stopper protects your critically important smoke detectors from accidental or intentional abuse. Easy to install in areas where physical abuse is causing false alarms or high maintenance costs.

8.25 H x 8.25 W x 3.75 D See website for UL Listing	
STI-8100	**Flush Mount, Clear**
STI-8100-BK	**Flush Mount, Black**
STI-8100-W	**Flush Mount, White**
8.25 H x 8.25 W x 5.75 D See website for UL Listing	
STI-8130	**Surface Mount, Clear**

Protective Cabinets

Multipurpose lockable cabinets help protect electronic devices against vandalism and accidental damage. The tough polycarbonate cabinets are available with a key or thumb lock, with or without siren alarm or siren/strobe alarm.

STI-7520

c UL us **TYPE 4X**

Only models with no alarm

10.875 H x 8.875 W x 3.125 D	
STI-7520	**Key Lock, No Alarm**
STI-7521	**Thumb Lock, No Alarm**
STI-7522	**Key Lock and Siren Alarm ***
STI-7523	**Thumb Lock and Siren Alarm ***
STI-7524	**Key Lock, Siren/Strobe Alarm ****
STI-7525	**Thumb Lock, Siren/Strobe Alarm ****
14.2 H x 12.2 W x 6.44 D	
STI-7530	**Key Lock, No Alarm**
STI-7531	**Thumb Lock, No Alarm**
STI-7532	**Key Lock and Siren Alarm ***
STI-7533	**Thumb Lock and Siren Alarm ***
STI-7534	**Key Lock & Siren/Strobe Alarm ****
STI-7535	**Thumb Lock & Siren/Strobe Alarm ****
24.75 H x 19.75 W x 7.31 D	
STI-7550	**Key Lock, No Alarm**
STI-7551	**Thumb Lock, No Alarm**
STI-7552	**Key Lock and Siren Alarm ***
STI-7553	**Thumb Lock and Siren Alarm ***
STI-7554	**Key Lock and Siren/Strobe Alarm ****
STI-7555	**Thumb Lock & Siren/Strobe Alarm ****

STI-7533

STI-7555

UL **TYPE 4X**

Only models with no alarm

Alarm descriptions

* Siren alarm	See Exit Stopper® for complete details (page 23).
**Siren/strobe alarm	See Select-Alert for complete details (page 22).

Mounting Pedestal

Pedestals help provide convenience for security and/or access control equipment. The STI-9779 measures 60 inches high and is designed to be buried into the ground. The STI-9780 measures 42 inches high and is designed with a base to mount to a concrete pad.

STI-9779	**Subsurface Mount**
STI-9780	**Surface Mount**

Works well with A, B or F backboxes pg. 14

Thermostat Protector

Protective covers help stop vandalism, damage and tampering to thermostat controls.

STI-9110

STI-9102

5.37 H x 3.50 W x 3 D	
STI-9100	**Mini, Key Lock**
STI-9100-S	**Mini, Key Lock, Smoke Color**
4 H x 4 W x 1.4 D	
STI-9102	**Small, 1/4 Turn Lock**
6.5 H x 8.15 W x 3.15 D	
STI-9105	**Small, Key Lock**
STI-9105-S	**Small, 1/4 Turn Lock**
7.6 H x 9.5 W x 3.9 D	
STI-9110	**Large, Key Lock**
7.37 H x 7.37 W x 2.87 D	
STI-9115	**Dome Shaped**

Polycarbonate Enclosure

These protective polycarbonate covers are lockable with either a key or thumb lock located on the interior or exterior of the cover. Several backboxes are also offered to accommodate various applications.

STI-7511F

STI-7500A - F *	**Key Lock**
STI-7501A - F *	**Thumb Lock**
STI-7510A - F *	**Exterior Key Lock**
STI-7511A - F *	**Exterior Thumb Lock**

Access Control Housing

These water resistant, multipurpose sealed housings mount to either a wall or pedestal and are ideal for a variety of access control equipment.

STI-7515A

NEMA 4

STI-7515A	**Wall Mount, “A” Backbox**
STI-7515F	**Wall Mount, “F” Backbox**
STI-7516A	**Pedestal Mount, Adaptor Plate, “A” Backbox**
STI-7516F	**Pedestal Mount, Adaptor Plate, “F” Backbox**

*** Backbox Options**

A = Enclosed Deep
B = Enclosed with Double-Gang Electrical Box
C = Open for Flush Mount Applications
D = Open Conduit, Surface Mount Applications
E = Open for Flush Mount Applications
F = Enclosed

WIRE GUARDS

Tough guards help prevent vandalism and accidental damage. Constructed of corrosion resistant polyester coated steel wire, stainless steel or cold-rolled steel. 9-gauge polyester coated models may be spray painted once to match décor. Easy installation.

Steel Web Stopper® for Smoke Detectors

MEA

See Website For Details

8.25 diameter x 2.75 deep **STI-9601, STI-9601-SS**	**Stainless Steel Low profile - flush mount**
8.25 diameter x 4.25 deep **STI-9602**	**Low profile - surface mount**
7.0 diameter x 3.25 deep **STI-9604, STI-9604-SS**	**Stainless Steel For mini detectors - flush mount**
7.125 diameter x 4.5 deep **STI-9605, STI-9605-SS**	**Stainless Steel For mini detectors - surface mount**
8.25 diameter x 4.6 deep **STI-9609, STI-9609-SS**	**Stainless Steel High profile - flush mount**
8.25 diameter x 6.0 deep **STI-9610**	**High profile - surface mount**
6.87 diameter x 4.53 deep **STI-9712**	**Covers photoelectric smoke detector Surface mount**
6.87 diameter x 2.5 deep **STI-9713**	**Covers photoelectric smoke detector Flush mount**

Steel Web Stoppers are 9-gauge

STI-9605

STI-9609

STI-9610

STI-9712

STI-9713

STI-9623

STI-9624

STI-9625

STI-9706

STI-9707

Beam Smoke Damage Stopper®

Protect costly sensor units of beam type smoke detectors from damage leading to misalignment and false alarms.

STI-9623	7.75 H x 6.0 W x 6.0 D Fits DS240 & DS241 Flush mount
STI-9624	8.875 H x 5.5 W x 4.75 D Fits Fireray 50/100R Flush mount
STI-9625	7.875 H x 10.25 W x 12.625 D Fits DS6424 Flush mount
STI-9706	10.82 H x 9.32 W x 4.0 D Fits System Sensor Beam 1224 Flush mount
STI-9707	11.0 H x 9.62 W x 5.5 D Fits System Sensor Beam 1224 Surface mount

STI-9840

Fireray® Fire Detector Damage Stopper®

Here is an excellent way to protect optical beam smoke detectors against both vandalism and accidental damage. Easy to install. Tamper resistant hardware available.

STI-9840	6.61 H x 6.61 W x 5.68 D
STI-9841	11.5 H x 10 W x 3.58 D

STI-8230-SS

STI-8200-W

Smoke Detector Damage Stopper®

Easy to install, it helps assure smoke detector will remain operational in applications where vandalism and accidental damage are causing false fire alarms or high maintenance costs.

1.2 mm stainless steel	
STI-8200-SS flush	8.0 Diameter x 3.0 D
STI-8230-SS surface	8.0 Diameter x 5.0 D
1.5 mm cold rolled steel coated - white	
STI-8200-W flush	8.0 Diameter x 3.0 D
STI-8230-W surface	8.0 Diameter x 5.0 D

See website for UL Listing details

Exit Signs

Protects a wide range of exit signs from vandalism and accidental damage wherever exit signs are at risk from either intentional or accidental damage.



STI-9640

All 9-gauge	
STI-9640	**10.5 H x 13.5 W x 2.75 D**
STI-9740	**15.5 H x 20.5 W x 6.0 D**

PIR Guards

This tough cage is extremely effective in reducing malfunctions and high maintenance costs where vandalism or accidental damage is prevalent.

STI-9618

STI-9620

All 9-gauge	
STI-9618	**4.62 H x 5.37 W x 3.0 D**
STI-9619	**7.75 H x 5.37 W x 5.62 D**
STI-9620	**6.25 H x 4.0 W x 2.25 D**
STI-9621	**7.0 H x 5.75 W x 4.5 D**
STI-9622	**8.75 H x 4.0 W x 3.75 D**

Clock/Bell Damage Stoppers®

Highly recommended for gymnasiums and other areas where abuse is severe. This tough cover is designed to protect clocks, bells and similar instruments.

STI-9633

All 9-gauge	
STI-9631	**10.5 diameter x 6.0 D**
STI-9631-SS	**Stainless steel, 10.5 diameter x 6.0 D**
STI-9631-R	**Red, 10.5 diameter x 6.0 D**
STI-9632	**16.5 diameter x 6.0 D**
STI-9632-SS	**Stainless steel, 16.5 diameter x 6.0 D**
STI-9633	**20 diameter x 6.0 D**

Emergency Lighting Cages

STI-9649

STI-9644

STI-9649 (9-gauge)	**10.75 H x 24.75 W x 11.25 D**
STI-9641	**10.7 H x 14.6 W x 4 D**
STI-9644	**8.7 H x 17.7 W x 5 D**
STI-9645	**13.8 H x 21.7 W x 5.9 D**
STI-9730	**12 H x 12 W x 12 D**

Light Damage Stoppers®

STI-9703

Here is an excellent way to protect your outdoor lights against both vandalism and accidental damage.

STI-9703	5 H x 13.5 W x 4.0 D

Outdoor Light Damage Stoppers®

STI-9796

Here is an excellent way to protect your outdoor pole mount lights against both vandalism and accidental damage.

STI-9796	16 H x 14.0 diameter Fits Lithonia Lighting TDB 175MV 120 PKG. 9-gauge

Fluorescent Light Damage Stoppers®

STI-9880

These wire guards offer three year protection against vandalism and accidental damage to fluorescent lights.

STI-9651	29.5 H x 53.5 W x 4.0 D 9-gauge
STI-9880	62.75 L x 8.25 W x 5.75 D 12 ASWG Adjustable length reduces to 51.0
STI-9881	98.25 L x 8.25 W x 5.75 D 12 ASWG Adjustable length reduces to 74.75

Bay Light Damage Stoppers®

STI-9702

STI-9709

Assures continued operation of Hubbell lights. All 9-gauge.

STI-9702	21.43 H x 22.5 diameter Fits Hubbell® Superbay Lights WA-22, WD-22, BL-WA22
STI-9709	24.5 H x 26.0 diameter Fits Hubbell® Superbay Lights WA25 Series

Horn/Strobe/Speaker Damage Stopper®

Wire guards provide maximum protection to speaker/strobe notification appliance. All 9-gauge.

For System Sensor models SP2R1224MC and SP2W1224MC		
STI-9717	**6.1 H x 9.3 W x 2.4 D**	**Flush**
STI-9720	**6.1 H x 9.3 W x 4.9 D**	**Surface**
System Sensor SpectrAlert® Advance series — UL/cUL Listed		
STI-9705	**7.40 H x 6.15 W x 3.39 D**	
STI-9705-R		
STI-9708	**7.49 H x 6.74 W x 6.09 D**	
STI-9708-R		
STI-9711	**8.26 H x 8.26 W x 3.54 D**	
STI-9714	**8.55 H x 8.55 W x 8.23 D**	

R = Red

STI-9720

STI-9705-R

Beacon and Sounder Cages

Helps protect operation of beacons and sounders against theft and vandalism.

STI-9614	**6 Depth x 7.9 Diameter**
STI-9615	**3.5 Depth x 3.7 Diameter**
STI-9617	**4.9 Depth x 5.9 Diameter**
STI-9664	**6.18 Depth x 3.86 Diameter**
STI-9665	**8.43 Depth x 7 Diameter**

STI-9615

STI-9664

CUSTOM WIRE GUARDS

Yes, we can make it for you.

If you don't see a product that works for you, give us a call. We'll do our best to meet your needs.



More horn/strobe covers on pages 42, 43 and 44



Vandalism & Theft

Every year, vandalism and theft of equipment costs U.S. businesses more than $3 billion. STI products can help reduce theft and vandalism.

This theft could have been prevented!

CCTV Housings

Protective covers help reduce vandalism and damage to CCTV cameras. Aluminum construction includes standard mounting bracket. One version is the sturdy housing unit while a second version includes housing, heater, blower and sun shield.

- Spring assisted forward opening lid.
- Universal Pole Mount Bracket allows CCTV camera housings to be mounted to a pole.

STI-7100K

Standard Model

STI-7000K	**Aluminum Housing and Bracket**
STI-7100K	**Aluminum Housing, Bracket, Heater, Blower & Sun Shield**
STI-7081	**Universal Pole Mount Bracket**

STI-7081

Heavy-duty Model

This heavy-duty housing is constructed out of cast aluminum and has a removable tethered lid. Includes housing unit, blower, lens heater, sun shield and mounting bracket. Sun shield can reduce internal temperature by 4°F (2°C).

- Wire protector mount allows wires to feed through to prevent tampering or damage.
- 24 VAC input with 12 volt DC terminals saves additional wiring and power supply required for 12 VDC cameras.
- Removable tethered lid for easy camera access.

STI-7150K	**Cast Aluminum with Blower, Lens Heater & Sun Shield**

STI-7150K

CCTV Guard

This guard protects cameras against both vandalism and accidental damage.

- Constructed of tough, 9-gauge steel wire, coated with corrosion resistant white polyester.

STI-9716	**9-Gauge Wire Camera Damage Stopper®**



STI-9716

Select-Alert Alarm Mini Controller

This highly effective controller alerts of any unauthorized use, theft or vandalism of important devices. The alarm and super bright flashing LEDs offer excellent protection for an array of circumstances and allows the user to choose its function. When activated, the electronic Select-Alert emits an ear piercing siren and the LEDs flash—drawing attention in a hurry.

- Siren offers 32 tones.
- Independent alarm and strobe timing: 15 seconds, 30 seconds, 60 seconds or continuous.
- Can be used as a cabinet alarm, door alarm, link with push button/switch or as a burglar alarm.
- Offers a 100 dB alarm or a softer 85 dB.

STI-SA5000	**Available in 5 Colors ***

***R-Red, G-Green, W-White, A-Amber, B-Blue**

Fire Extinguisher Alarms

Help stop misuse to fire extinguishers, both wall mounted and mounted in a cabinet. Mini Theft Stopper® can also be used to protect a gun cabinet, medicine cabinet or any other door. 9 VDC battery powered.

STI-6200

For Wall Mounted Extinguishers

- Selectable 95 or 105 dB warning horn
- 5 diameter x 1.875 deep
- Deactivation cable provided for service
- Polycarbonate construction

STI-6200	**Fire Extinguisher Alarm**
STI-6200R	**Remote Powered 12 VDC**
STI-6200WIR	**Wireless Sensor**
STI-6200WIR4	**Wireless Sensor with Receiver**

STI-6255

Mini Alert for Cabinet or Wall Mount Extinguisher

- 105 dB warning horn
- 3.375 diameter x 1 deep
- Reed switch activation for cabinets and display cases
- Clip activation for fire extinguisher pins and other freestanding equipment
- Three minute automatic reset upon activation
- ABS construction

STI-6254	**Reed switch activation**
STI-6255	**Reed switch or clip activation**

STI Exit Stopper®

This tough polycarbonate alarm may be installed on wooden or steel doors with right, left or top mounting. With its “stop sign” design and “STOP” printed on the face, the appearance of the device is a major deterrent in itself. Alarm measures approximately 5.375” diameter and 2” deep. Each alarm includes many choices of functions to make it more versatile then ever.

Selections include:

- Volume: 95 or 105 dB
- Durations: Annunciator mode (10 beeps), 30 second, 3 minutes or continuous
- Trip Timing: Immediate or 15 second delay
- Arming Timing: Immediate or 15 second delay

STI-6400 **STI-6400WIR** **STI-6400WIR4**	**Multifunction Door Alarm** **Wireless (Receiver sold separately)** **Wireless with Receiver**
STI-34104 **STI-34108** **STI-V34104**	**4-Channel Receiver (details page 35)** **8-Channel Receiver (details page 35)** **4-Channel Voice Receiver (details page 35)**
STI-6402 **STI-6403**	**For Double Doors With Remote Horn** • Remote horn location up to 300 feet from the door it is protecting (18 ga. wire required, not included) • Electrically unsupervised
STI-6404 **STI-6405**	**For Double Doors with Remote Horn With “Always Active” Feature** • Key required to reset the alarm in continuous mode • Always on
STI-6406	**Dual Access Control** • Can be operated from both sides of the door without using alarm delays

STI-6400

STI-V34104

STI-6405

STI-6406

Emergency Chair Theft Stopper®

Avoid theft of emergency evacuation chairs with this handy alarm.

- Helps stop theft and vandalism yet leaves chair accessible for emergencies
- Self-contained, sturdy and tamperproof

STI-6202	**Emergency Chair Alarm**

STI-6202



Buttons & Switches

Suitable for indoors and out, STI has emergency buttons, round push switches, fire alarm buttons and multipurpose push buttons—many are ADA Compliant.

Our patented design reduces accidental activation.

BUTTONS & SWITCHES

These ADA Compliant multipurpose push buttons are ideal for general use. The superior design of the buttons and quality construction offer outstanding performance for years to come.

There's an STI Button to fit all your needs:

- Slim Line and Round Buttons (page 25)
- Semi-Custom Push Buttons (page 26)
- Universal Button Kits (page 28)

Visit **sti-usa.com** to order the buttons you need. Select "Products" then "Buttons & Switches" to use the FastFind feature.

Slim Line And Round Buttons

Both buttons have a momentary illuminated push button with a standard 24 VDC long-life LED.

SL-2107

SL-2307

SL-2407

ADA Compliant

Slim Line – Illuminated

- Button fits in small, narrow areas such as on a door frame.
- Standard 24 VDC LED or a 12 VDC version is also available upon request.
- Uses long-life LED.
- Plastic collar protects switch contacts.
- Form "C" contact rating 30 VDC 5 amps.
- Includes a 5 conductor lead wire for easy connection.
- Standard illuminated momentary button is blue for blue shell and red for green and white shells.
- Custom labeling available. Limited to two lines, eight characters each.

Slim Line Buttons	**Available in green, white and blue**

SSR-2007

SSR-2107

SSR-2407

ADA Compliant

Round Momentary - Illuminated

- Form "C" contact rated 10 amps @ 125/250 VAC.
- Measures 4.5 diameter and 1.625 deep (3.45 is depth of button with contacts).

Round Momentary	**Available in red, green, and blue**

Button Examples Shown Above

Universal Stopper Cover

Stopper® Stations

ADA Compliant, multipurpose push button switches cover a wide range of applications both indoors and outdoors. They incorporate a unique, patented curved design that helps stop accidental activation. Many models available with standard labeling—see the options below.

SS-2000 Button Series

Stopper Station buttons are available in a variety of colors, messaging, button types and more.

Common Features Include:

- Stainless steel backplate
- 5VA flammability rating on backplate and spacer
- Raised molded or custom vinyl labeling
- Measures approx. 4.875 H x 3.25 W x 1.625 D

5 Color Choices for the Shell:

- Red
- Blue
- Green
- White
- Yellow

6 Embossed Message Options:

Available only on certain colors; they are color specific.

- FIRE
- EMERGENCY
- EXIT
- EMERGENCY EXIT
- FUEL PUMP SHUT-DOWN
- EMERGENCY POWER OFF

10 Button/Switch Activations

See “Button Styles” in chart at right.

Need a protective cover for your button?

- Universal Stopper® on pg. 11, 40
- Bopper Stopper® on pg. 10
- Stopper® Station Shield (Available: cover only, cover with sound or cover with sound and transmitter on pg. 10)

Need a Custom Button?

STI can custom label units to meet exact needs (in an average of seven days). Just give us a call.

Button Styles

Select from 10 different button/switch activations. Go to our website to find part numbers and see all specifications—and build your button online.

c UL us ADA Compliant **#0 - Push-to-Activate, Key-to-Reset (Octagonal)**	c UL us ADA Compliant **#1 - Push, Turn-to-Reset** **#4 - Momentary Mushroom**
c UL us ADA Compliant **#2 - Push and Key-to-Reset (Octagon Button)** **#5 - Momentary Mushroom (Octagon)** **#8 - Pneumatic Adjustable Timer** **#9 - Push, Turn-to-Reset (Octagon)**	c UL us **#3 - Key-to-Activate**
c UL us ADA Compliant **#7 - Illuminated Mushroom (red or green button)**	ADA Compliant **#6 - Momentary Touch**

IT'S EASY TO BUILD YOUR BUTTON ONLINE

Go to sti-usa.com, select "Products", "Buttons & Switches", to use the FastFinder feature.

- Choose a Shell Color V
- Choose a Protective Cover V
- Choose a Button/Switch Activation V
- Choose a Message V

Universal Button Kit

One kit REALLY does it all!

Save time. Save money. STI's Universal Button Kit contains all the parts needed to create over 300 different combinations in one convenient package.

UB-1	**Universal Button Kit**
UB-2	**2" Universal Button**

- One button for many situations, over 300 different combinations.
- Illuminated momentary button and message plate.
- Two sets of Form "C" contacts.
- Faceplate constructed of cast aluminum.
- Single gang plate slightly oversized to cover old plate installation marks.
- Blank illuminated message inserts for unlimited custom messages.
- Five round white inserts
- ADA Compliant (UB-2 only)

c UL us

ADA Compliant

UB-1 Kit Contains:

Backplate

Messages

Contact Block



Buttons

Button Messages

Other Universal Button Kits

Use these handy all-in-one STI button kits for other specialized applications.

UB-1TF

UB-1TF **Universal Touch Free Button**

- Integrated adjustable timer.
- One set of Form "C" contacts @ 1 AMP, 24 VDC.
- Illuminated message lens light kit.
- Seven message plates embossed with EXIT or blanks (allowing for custom labels).
- Three different lens covers: red, green and blue.

These work with our covers too! see pg. 11

UB-1PN **Universal Pneumatic Button**

- Pneumatic adjustable timer opens or closes a circuit and has a timed delay before reset.
- Timer life of over 1,000,000 operations.
- Pneumatic timer range: 2 – 60 seconds (± 15%).
- One set of isolated NO/NC contact.
- Switch rating 10 amp (resistive) 240 VAC.
- Illuminated 12/24 VDC plates inscribed with EXIT or blanks (allowing for custom labels).
- Three different lens covers: red, green and blue.
- Five white round inserts.

UB-1PN

c UL us

ADA Compliant

Universal Button Accessories

Latching/Timer Modules

- Digital Timing circuit 15, 30, 45 sec or ∞.
- Allows a momentary button to be used in latching mode that can be reset with a contact closure.



LT-1

LT-1 **Latching/Timer Model**

- SMALL size: 1.75 H x 1.25 W x ½ D
- 12 to 24 volts AC/DC operation, Form "C" contact rating 3A @ 125 AC/20VDC

LT-1UL **Latching/Timer Model**

UB-1/LTUL **Universal Button with Latching/Timer**

UB-2/LTUL **2" Universal Button w/ Latching/Timer**

- Compact size: 1.75 H x 1.3 W x .65 D
- 12 to 24 volts AC/DC operation, Form "C" contact rating 3A @ 300VDC

LT-1UL

c UL us

UB-2 Lens **2" Lens for Universal Button**

- Oversized button for ease of use.
- Helps make push button more noticeable.
- Available in blue, green or red and packaged together as one kit.

UB-2LENS

Home & Work Series

To help keep you safe, we have a range of products that includes an electronic watchdog alarm, driveway monitors and motion sensors.

With high quality standards, you can rely on STI.

HOME & WORK SERIES

Wireless musical chimes sound a pleasant chime. Can be installed in minutes with no electrician or through the wall wiring. These four musical chimes can work together as one system. Receiver has a low, medium and high volume.

Musical Wireless Chime

Simply mount the button on the exterior of the door and plug the receiver unit into any indoor electrical outlet. 250' range. Plays 13 chimes.

STI-32500	Complete Kit
STI-33010	Additional Doorbell Button
STI-32530	Additional Receiver

STI-32500

Musical Wireless Motion-Activated Chime

Chime sounds when motion is detected. 100' range. Can also be used as an alarm. Plays 13 chimes.

STI-46100	Complete Kit
STI-46010	Additional Wireless Motion Sensor
STI-32530	Additional Receiver

STI-46100

Musical Entry Alert Chime

When a monitored door is opened, unit sends signal to the remote receiver, announcing an entrance with music. Can also be used as an alarm. 150' range. Plays 13 chimes.

STI-32600	Complete Kit
STI-35500	Additional Transmitter
STI-32530	Additional Receiver

STI-32600

Musical Wireless Doorbell Extender

Wireless doorbell chime connects to existing doorbell. Receiver plugs into outlet up to 150' from doorbell to extend sound to hard-to-hear areas. Plays six chimes.

STI-32000	Complete Kit
STI-32530	Additional Receiver

STI-32000

BURGLAR STOPPER® SERIES

STI-WS100SG2

The Wire-Free Home Protection System, with user-friendly features, secures the home or office. The system is controlled by a Smart Panel which receives information from wireless sensors placed in various locations. If the Smart Panel detects a security breach, the indicator lights and audible alarms are triggered.

STI-WS100SG2	Wire-Free Home Protection System

Accessories

STI-WS102	Door/Window Sensor
STI-WS103	PIR Motion Sensor
STI-WS105	Garage Door Sensor
STI-WS107	Inactivity Sensor
STI-WS109	Outdoor Bell Box
STI-WS110	Auto Dialer/Distress Alarm

VISIT OUR WEBSITE WHILE ON THE GO

Stay connected with STI's easy-to-use mobile website. It provides immediate access to product information, spec sheets, installation guides, etc. while you are away from your computer or on site.

CONVENIENCE & PROTECTION SERIES

These individual STI wireless products provide you convenience and personal protection.

Rex Plus® II Electronic Watchdog

This barking dog alarm will "see" through walls and is smarter. Sounds include: one or two dogs barking, ding, ding/dong or chirp greeting or siren alarm (choice of two).

ED-55	**Approx. dims: 8.5 H x 4.5 W x 5.5 D** • 12 VDC or battery operation. • He has a detection angle of 150 degrees and an adjustable range up to 26 feet. • Easy access controls on top include volume, sensitivity and mute.

ED-55

The original Rex Plus® Electronic Watchdog

Can see through doors, windows and walls to detect and scare off would-be intruders with real-life sounds of an angry, barking German Shepherd.

ED-50	**Approx. 6 H x 8 W x 5 D** • Choice of four sounds. • 30' variable distance sensitivity. • Adjustable volume control.

ED-50

Mugger Stopper® Plus

Great for personal protection. With its battery operated 120 dB alarm and strobe light, it helps fend off muggers or can call attention to a fall or injury.

STI-12006	**Approx. 3 H X 2 1/4 W X 1 D**

12006



Wireless Products

Door alarms, driveway monitors, theft stoppers, motion-activated alarms, and garage sensors all use wireless technology, giving you both freedom and easy installation.

Wireless alarms and alerts as flexible as they are secure.

WIRELESS ALERT SERIES

STI's Wireless Alert Series makes it easy to monitor doors, windows, pools, driveways, mailboxes—without wires!

STI-V34104

Wireless Alert Series for home & work use (page 35-36)
Wireless Pro Series for commercial use (page 37)

- Multiple supervised wireless products
- Easy installation, 433MHz
- Up to 1000 foot range (line of sight)
- Supervised battery and signal reception
- Sensors require a Wireless Alert Series Receiver
- Accessories available to extend range (page 37)

Wireless Receivers

Monitor up to eight STI devices.

STI-34104

STI-34108

STI-34098

STI-34104	**4-Channel Receiver** • Audible chime tone or 12V 75mA output for siren
STI-34108	**8-Channel Receiver** • Form "C" contact for remote monitoring • 300mA 12V available for siren output (with 500mA 12V supply) • Mirror function (works with up to 4 additional receivers)
STI-V34104	**4-Channel Voice Receiver** • Sounds programmable voice messages • Offers 10 tones/tunes, 53 selectable words
STI-34098	**Single Slave Receiver**

Wireless Driveway Monitor

Know when someone pulls into a driveway. Available as battery OR solar powered.

STI-34151

STI-34101

STI-V34150	**Battery Driveway Monitor and a 4-Channel Voice Receiver**
STI-34151	**Additional Battery Sensor**
STI-V34100	**Solar Driveway Monitor and a 4-Channel Voice Receiver**
STI-34101	**Additional Solar Sensor**

Wireless Universal Alert

Alerts when monitored site is tripped. Use on: gate, gun cabinet, garage door, fence, shed, window, etc. Programmable transmitter choices: one on board reed switch, remote set of terminals, tilt switch.

STI-V34400

STI-V34400	**Sensor and 4-Channel Voice Receiver**
STI-34401	**Sensor Only**

STI-V34200

Wireless Mailbox Alert

Know whether or not the mail has arrived—from the safety and comfort of inside your home.

STI-V34200	Sensor and 4-Channel Voice Receiver
STI-34201	Sensor Only

STI-V34300

Wireless Garage Sentry® Alert

Know whether or not your garage door is open. It works with the 4-Channel Receiver, has a supervised battery and signal reception and has a range up to 1000 feet (line of sight)

STI-V34300	Sensor and 4-Channel Voice Receiver
STI-34301	Sensor Only

STI-V34600

Wireless Doorbell Button

Chimes when doorbell button pressed. Water/weather resistant. Up to 500' line of sight range.

STI-V34600	Sensor and 4-Channel Voice Receiver
STI-34601	Sensor Only

STI-V34700

STI-V34750

Wireless Indoor Or Outdoor Motion Detector

The Wireless Motion Detector Alert lets you know when the sensor detects movement in a monitored area. When motion is detected, the device sends a wireless radio signal to the indoor STI 4-Channel Receiver.

STI-V34700	Indoor Sensor and 4-Channel Voice Receiver
STI-34701	Indoor Sensor Only
STI-V34750	Outdoor Sensor and 4-Channel Voice Receiver
STI-34751	Outdoor Sensor Only

WIRELESS PRO SERIES

STI's Wireless Pro Series are wireless products that are ideal for commercial or industrial uses.

- Integrates with all Wireless Alert Series products (pgs. 35-36)
- Same durability and quality you've come to expect from STI
- Monitor your fire extinguishers, freezers, storeroom doors and more—without wires!

Wireless Fire Extinguisher Theft Stopper®

Helps stop theft, vandalism or misuse of extinguishers.

- For more details, see page 22.

STI-6200WIR4	**Sensor and 4-Channel Receiver**
STI-6200WIR	**Sensor Only**

STI-6200WIR

Wireless Exit Stopper® Multifunction Door Alarm

Alarm alerts to unauthorized exits/entries through emergency exit and rear doors.

- For more details, see page 23.

STI-6400WIR4	**Sensor and 4-Channel Receiver**
STI-6400WIR	**Sensor Only**

STI-6400WIR

Wireless Stopper® Station Shield

Protective cover with sound and transmitter mounts directly onto a Stopper® Station button.

- Two channel transmitters. One for cover opening and one for button activation.
- Special order, contact STI for ordering information.
- For more details, see page 10.

STI-6517B	**Cover with Sound and Transmitter**

STI-6517B
Shown with button

c UL us

ACCESSORIES

Augment the Wireless Series items (pgs. 35-37).

STI-34109	**Repeater** • Extends the range of receivers up to an additional 1000 feet
STI-30104	**Lamp Controller** • Automatically turns on a lamp in your home when an STI receiver detects a wireless signal

STI-34109

Fire Safety Products

STI has helped to prevent false fire alarms ever since our founder, Jack Taylor, invented the original pull station cover over 30 years ago.

STI can help you prevent false alarms.

Stopper II®

Helps prevent false fire alarms without restricting legitimate alarms. Consists of a clear, tamperproof tough polycarbonate shield and frame; optional horn and spacer available. Units with horn will sound when cover is lifted.

- Piercing 95 or 105 dB siren.
- Does not restrict legitimate access.
- Red, yellow, blue or green available.
- Polycarbonate rated -40° to 120°F (40° to 49°C).
- Flush mount 6.2 H x 5 W x 1.625 D.
- Surface mount 6.2 H x 5 W x 3.625 D.

STI-1100 ®

STI-1100	Horn, Flush Mount
STI-1130	Horn and Spacer
STI-1200	Without Horn, Flush Mount
STI-1230	Without Horn, with Spacer
STI-1100RC	Horn and Relay, Flush Mount
STI-1130RC	Horn and Relay, with Spacer

c UL us FM APPROVED BSA BOARD OF STANDARDS ADA Compliant

CERTAIN MODELS ONLY

Weather Stopper®

Extend the life and reliability of weather exposed manual pull stations, push buttons and similar devices with this gasketed cover. Useful in increasing the lifespan of units in washdown locations. Red, yellow, blue or green available.

- The station cover, when mounted on a smooth surface, provides a rain tight seal similar to a 3R enclosure rating.
- UL requires pull stations to be listed for outdoor use.
- Polycarbonate rated -40º to 120ºF (-40º to 49ºC).
- Flush mount 6.2 H x 5 W x 1.625 D.
- Surface mount 6.2 H x 5 W x 3.625 D.
- **All Weather Stoppers are Indoor/Outdoor Rated**

STI-3150 ®

c UL us ADA Compliant

STI-1150 ®

c UL us

ADA Compliant

STI-1150	Horn, Flush Mount
STI-1155	Horn and Spacer
STI-1150RC	Horn and Relay, Flush Mount
STI-1155RC	Horn, Relay and Spacer
STI-1250	Without Horn, Flush Mount
STI-3150	Without Horn, with Spacer

Also available in blue, green or yellow.

Universal Stopper®

Indoor/outdoor

Tough polycarbonate cover protects an array of devices without restricting legitimate operation.

c UL us

ADA Compliant

STI-13000 Series	**UL/cUL Listed (Type rating pending)**
STI-14000 Series	**Indoor/outdoor low profile cover**

- With or without 105 dB horn.
- Cover available in low profile or dome shape.
- Flush mount, surface mount or waterproof backbox.
- Message hood/horn housing with choice of custom or no labeling.*
- Colors: red, blue, green, yellow, white or black (unless otherwise noted).
- With or without FREE custom label.*
- Low profile (less than 4").
- Accommodates dual action pull stations.
- UL/cUL Listed (Type rating pending).
- ADA Compliant.

***STI-13000 series only**

Shown on left (top to bottom):

- Dome cover with red message hood
- Low Profile cover, surface mount
- Flush mount frame
- Enclosed flush backbox
- Surface mount spacer
- Enclosed backbox & sealed mounting plate
- Enclosed backbox & open mounting plate

See selection guide online

BUILD THE COVER YOU NEED

Easily build your cover at sti-usa.com

Selecting the correct cover is easy. On our website, select "Products", "Fire Products", and "Universal Stopper Covers" for the FastFind feature.

Cover Type	V
Choose Mounting Options	V
Choose Hood/Horn	V
Choose Special Electronics	V
Choose Housing/Horn Color & Label	V

Additional colors available see page 11.

BUILD YOUR UNIVERSAL STOPPER® MODEL

STI-1 _ _ _ _ _

Cover Options

3 = Dome Cover
4 = Low Profile Cover*

*Only available with Hood/Horn option "0"

Mounting Options

0 = Flush Mount
2 = Surface Mount
3 = Enclosed Flush Back Box
4 = Enclosed Back Box & Sealed Mounting Plate*
5 = Enclosed Back Box & Opened Mounting Plate*
8 = Enclosed Back Box & European Sealed Mounting Plate*
9 = Enclosed Back Box & European Open Mounting Plate*

* all colors except NC

Hood/Horn

0 = No Label Hood (Label must start with 'N.' If Hood/Horn Option = 0 and Mounting Option = 0 or 3, the label must be NC)
1 = Label Hood without Horn*
2 = Label Hood with Horn*
3 = Label Hood with Horn & Relay*

* all colors except NC

Special Electronics

0 = None
1 = Heat (available with Mounting Options 4, 5, 8 & 9)*

*Coming soon

Housing/Horn Color & Label

Fire label
FR = Red – Fire label

No label
NK = Black
NB = Blue
NC = Clear
NG = Green
NR = Red
NW = White
NY = Yellow

Free Custom label*
CK = Black*
CB = Blue*
CG = Green*
CR = Red*
CW = White*
CY = Yellow*

*must provide custom label wording (2 lines, 20 characters per line including spaces)

Stopper II® Heated Enclosure

Enclosure with heater allows addressable dual monitor modules to be installed inside or outside in temperatures below UL Listing limits. Fan runs continuously to maintain a uniform temperature inside the enclosure. Heater unit cycles as required to maintain the correct range of operating temperature.

STI-1200A-HTR

- For use in areas where temperature or environmental conditions exceed the operating range of addressable manual pull stations.
- Heater unit cycles and fan runs continuously to maintain a uniform temperature inside the enclosure.
- The station cover, when mounted on a smooth surface, provides a rain tight seal similar to a 3R enclosure rating.
- UL Listing does not require standby or secondary power for the 110 or 240 VAC 50/60 Hz heater.

STI-1200A-HTR	**Heated Enclosure, 110VAC**
STI-1200A-HTR240	**Heated Enclosure, 240VAC**
STI-1200A	**For Washdown areas, no heat Internal dim. 6.25 H x 4.125 W x 1.25 D**

Stopper® Dome Heated Enclosure

Protects signaling devices located where temperature or environmental conditions exceed the suggested operational range. Thermostatically controlled heaters and a continuous duty fan maintain a uniform temperature in the cover.

STI-1229HTR

NEMA 4X

- Internal dimensions 9.37 H x 9.27 W x 5.5 D

STI-1229HTR	**For Strobe Only, 110VAC**
STI-1229HTR240	**For Strobe Only, 240VAC**
STI-1229HTR-HAZ	**For Strobe Only, 110VAC, HAZ locations**
STI-1229HTR-240HAZ	**For Strobe Only, 240VAC HAZ locations**

More environmental enclosures on page 7.

Stopper® Dome

This cover (for strobe and horn/strobe units) is designed to stop vandalism and accidental damage. Molded of clear, thick, UV-stabilized polycarbonate material, backed by a three year guarantee against breakage in normal use.

STI-1215

ADA Compliant

- Slotted covers allow horn to be heard.
- Polycarbonate rated -40° to 120°F (-40° to 49°C).
- Call for light and sound loss values.

STI-1215	Horn/Speaker/Strobe, Flush Mount
STI-1217	Horn/Speaker/Strobe, Open Backbox
STI-1219	Horn/Speaker/Strobe, Encl. Backbox
STI-1225	Strobe Only, Flush Mount
STI-1227	Strobe Only, Open Backbox
STI-1229	Strobe Only, Encl. Backbox, Type 4X
STI-1229-HAZ	Strobe Only, Encl. Backbox, Type 4X, HAZ locations

STI-1227

Break Glass Stopper®

Designed for areas where a "break glass" cover is specified. Consists of a red polycarbonate cover, mounting frame, pane of single-strength clear glass and glass-breaking bar. Local fire marshal approval should be obtained prior to installation. Gaskets available to improve weather resistance.

STI-4130

- Fire alarm remains clearly visible and accessible.
- Glass replacement is simple.
- NOTE: Glass is clear - only appears dark for photo purposes.

STI-4100	Large, 6.84 H x 5.39 W x 1.5 D
STI-4130	Large w/ Conduit Spacer, 6.84 H x 5.39 W x 3.5 D
STI-6100	Small, 5.41 H x 3.97 W x 1.5 D
STI-6700	Keys Under Glass with Wall Hook, 5.41 H x 3.97 W x 1.5 D

STI-6700

Horn/Strobe/Speaker Damage Stoppers®

UL Listed guards provide maximum protection for System Sensor SpectrAlert® Advance series strobe notification appliances. Constructed of 9-gauge coated steel wire

STI-9705-R

7.40 H x 6.15 W x 3.39 D	
STI-9705	**Flush Mount – White**
STI-9705-R	**Flush Mount – Red**
7.49 H x 6.74 W x 6.09 D	
STI-9708	**Surface Mount – White**
STI-9708-R	**Surface Mount – Red**
8.26 H x 8.26 W x 3.54 D	
STI-9711	**Flush Mount – White**
8.55 H x 8.55 W x 6.23 D	
STI-9714	**Surface Mount – White**

STI-9711

Horn/Strobe Damage Stopper®

Polycarbonate cover, slotted for horn/strobe appliances, is designed to stop vandalism and accidental damage.

- Polycarbonate rated -40º to 120ºF (-40º to 49ºC).
- See website for dimensions and light/sound loss values.

STI-1210A	**Enclsd. Backbox, 4” Deep**
STI-1210B	**Enclsd. Backbox, w/ Double-Gang Box**
STI-1210C	**Backbox, with Ext. Mounting Tabs**
STI-1210D	**Open Backbox, with Conduit Knockout**
STI-1210E	**Open Backbox for Flush Mount**

STI-1210C

ADA Compliant

MEA

Strobe Damage Stopper®

Polycarbonate cover, solid for strobe appliances, is designed to stop vandalism and accidental damage.

- Polycarbonate rated -40º to 120ºF (-40º to 49ºC).
- See website for dimensions and light/sound loss values.

STI-1221A	**Enclosed Backbox, 4” Deep**
STI-1221A4X	**Enclosed Backbox, 4” Deep Type 4X**
STI-1221B	**Encl. Backbox, w/Double-Gang Box**
STI-1221C	**Open Backbox, External Mounting Tabs**
STI-1221D	**Open Backbox, Conduit Knockout**
STI-1221E	**Open Backbox for Flush Mount**

STI-1221C

More strobe covers on page 19.

ReSet Call Point Series

Unique switch mimics the feel of breaking glass while offering benefits and environmental advantages of a resettable operating element.

- Visible warning flag confirms reset has been operated.
- EN54-11 approved for fire applications.
- Easy to reset with a key, ready for reuse straight away.

For part numbers visit sti-usa.com/ReSet

Alert Point

This stand-alone system can be used for a wide range of applications such as fire, intruder, panic, evacuation, assist or general alarm. A cost effective means of raising an alarm in the event of an emergency.

- 102 dB alarm, powered by 9V battery.
- When activated, flag drops into view and red LEDs flash.
- Any external connected devices will be activated.

AP-1-B-E	**Blue with EVACUATE Label**
AP-1-G-I	**Green with EMERGENCY EXIT Label**
AP-1-R-A	**Red with House/Flame Symbol**
AP-1-W-F	**White with ASSIST Label**

Alert Point: *Lite*

The Alert Point: *Lite* is a simplified version of the above, but still provides an effective means of raising an alarm in the event of an emergency.

AP-2-B-X	**Blue**
AP-2-G-I	**Green with EMERGENCY EXIT Label**
AP-2-R-A	**Red with House/Flame Symbol**
AP-2-W-X	**White**

Call Point Stopper®

These clear, tough polycarbonate hinged covers retrofit securely over a wide range of electrical switches and call points. The covers prevent misuse to devices without restricting legitimate operation.

STI-6930*	**Flush Mount – Red**
STI-6931*	**Surface Mount – Red**

***Color choices -G (Green) -Y (Yellow)**

Coming Soon

Euro Stopper®

Low profile protective polycarbonate cover is available with or without horn or wireless monitoring. Offered in red, green, blue or yellow to accommodate a variety of applications.

STI-6590

Application Guides

Below is an App Guide showing how the typical school or college can benefit from the wide array of STI products.

App Guide: Schools & Colleges | **View all: www.sti-usa.com/appguides**

Fire Safety Products

Pull Station Protector
STI-13020FR

Products help prevent false fire alarms or vandalism to horn/strobes.

See Pages 38-45

Wireless Products

Wireless Voice Receiver
STI-V34104

Monitor doors, buttons, extinguishers and more.

See Pages 34-37



Enclosures, Covers & Cages

Clock Guards
STI-9632

Protection for thermostats, clocks, smoke detectors, control panels and many more.

See Pages 6-19



Note: Not responsible for typographical errors.
Please contact sales for the most up-to-date information.



Vandalism & Theft

Fire Extinguisher Alarm
STI-6200

Products that protect fire extinguishers, exit doors and other valuable equipment.

See Pages 20-23

Buttons & Switches

Custom Buttons
SS-24B1

High quality, durable buttons customize in 7 days or less.

See Pages 24-29

Home & Work

Wireless Chimes & Alerts
STI-34601

Know what's going on around your building or home.

See Pages 30-33

Connect with STI

1 order by phone
1-800-888-4784

2 website
sti-usa.com

3 mobile site
m.sti-usa.com

Safety Technology International, Inc.

We protect the things that protect you.

North America
2306 Airport Road
Waterford, MI 48327 USA
1-248-673-9898
800-888-4784

Europe
Unit 49G Pipers Road
Park Farm Industrial Estate
Redditch, Worcestershire
B98 0HU England
44 (0) 1527 520 999

©2013 STI

Printed in USA